

SECTIUNEA A-A

+9.06

+4.20

Invelitoare tigla ceramica propusa
Lateti existenti
Caprior lemn existenti

Termoizolatie fatade vata minerala bazaltica 5cm

Grinzi lemn existente
Termoizolatie existenta pamant
Astereala existenta scandura
Tavan existent gips carton
Protectie antifoc propusa gips carton 15mm

Pardoseala propusa
Sapa de egalizare existenta
Placa beton slab armata existenta
Pietris compactat existent
Umplutura compactata existenta
Teren natural

Termoizolatie soclu polistiren extrudat 3cm
Trotuar propus beton -0.75
Pietris

Termoizolatie fatade vata minerala bazaltica 5cm

Termoizolatie soclu polistiren extrudat 3cm
Trotuar propus dale prefabricate
Pietris

±0.00

0.55

4.80

3.19

0.30

3.10

3.20

0.55

1%

-0.35



VERIFICATOR				Referat nr. / 2016
VERIFICATOR/ EXPERT	NUME	SEMNATURA	CETINTA	REFEREAT / EXPERTIZAT NR. / DATA
 STR. MEHEDINTI NR. 4, AP. 2, CAM. 2, TIMISOARA J35/1963/23.05.2008; CUI 23933777 TEL/FAX: 0256440627				Beneficiar: Com. Berliste, Jud. Caraș Severin Amplasament: Com. Berliste, Loc. IAM, Jud. Caraș-Severin Id. prin CF nr. 33444, Nr. Top. 33444
				Pr.nr. 47/2016